Index of Authors

AALMEN, I. *see* KAPPERUD, G.

ADAMS, J. E. *see* O'NEILL, G.

ADRIAN, P. V. *see* SHANAHAN, P. M. A.

ALONSO, R., AUCKEN, H. M., PEREZ-DIAZ, J. C., COOKSON, B. D., BAQUERO, F. and PITT, T. L. Comparison of serotype, biotype and bacteriocin type with rDNA RFLP patterns for the type identification of *Serratia marcescens*, 99

ALPERS, M. P. *see* POMAT, W. S.

ALPERS, M. P. *see* SMITH, T.

ALTIERI, S. *see* GRADONI, L.

AMYES, S. G. B. *see* SHANAHAN, P. M. A.

ANDERSON, E. C., FOGGIN, C., ATKINSON, M., SORENSEN, K. J., MADEKUROZVA, R. L. and NQINDI, J. The role of wild animals, other than buffalo, in the current epidemiology of foot-and-mouth disease in Zimbabwe, 559

ANGRICK, E. J. *see* DORN, C. R.

APPERLOO-RENKEMA, H. Z., JAGT, T. G., TONK, R. H. J. and VAN DER WAALJ, D. Healthy individuals possess circulating antibodies against their indigenous faecal microflora as well as against allogenous faecal microflora: an immunomorphometrical study, 273

ATKINSON, M. *see* ANDERSON, E. C.

AUCKEN, H. M. *see* ALONSO, R.

AZZI, A., BARTOLOMEI-CORSI, O., ZAKRZEWSKA, K., CORCORAN, T., NEWMAN, R., ROBERTSON, J. S., YATES, P. and OXFORD, J. S. The haemagglutinins of influenza A (H1N1) viruses in the 'O' or 'D' phases exhibit biological and antigenic differences, 135

BAILEY, R. L., KAJBAF, M., WHITTLE, H. C., WARD, M. E. and MABEY, D. C. W. The influence of local antichlamydial antibody on the acquisition and persistence of human ocular chlamydial infection: IgG antibodies are not protective, 315

BAKER, D. M., NGUYEN-VAN-TAM, J. S. and SMITH, S. J. Protective efficacy of BCG vaccine against leprosy in southern Malawi, 21

BAQUERO, F. *see* ALONSO, R.

BARTOLOMEI-CORSI, O. *see* AZZI, A.

BARUZZI, F. A. B. *see* BURATTINI, M. N.

BENTHAM, R. H. and BROADBENT, C. R. A model for autumn outbreaks of Legionnaires' disease associated with cooling towers, linked to system operation and size, 287

BINGHAM, P. *see* THORNTON, L.

BODE, G., MAUCH, F. and MALFERTHEINER, P. The coccoid forms of *Helicobacter pylori*. Criteria for their viability, 483

BOWMAN, R. A. *see* O'NEILL, G.

BRAACK, L. E. O. *see* BURT, F. J.

BROADBENT, C. R. *see* BENTHAM, R. H.

BURATTINI, M. N., MASSAD, E., COUTINHO, F. A. B. and BARUZZI, R. G. Malaria prevalence amongst Brazilian Indians assessed by a new mathematical model, 525

BURATTINI, M. N., MASSAD, E. and COUTINHO, F. A. B. Malaria transmission rates estimated from serological data, 503

BURT, F. J., SWANEPOEL, R. and BRAACK, L. E. O. Enzyme-linked immunosorbent assays for the detection of antibody to Crimean–Congo haemorrhagic fever virus in the sera of livestock and wild vertebrates, 547

BUTCHER, R. *see* CROWTHER, J. R.

CADAVID, D. and RESTREPO, A. Factors associated with *Paracoccidiodes brailiensis* infection among permanent residents of three endemic areas in Colombia, 121

CHAPMAN, P. A., SIDDONS, C. A., WRIGHT, D. J., NORMAN, P., FOX, J. and CRICK, E. Cattle as a possible source of verocytotoxin-producing *Escherichia coli* O157 infections in man, 439

CHART, H., CONWAY, D. and ROWE, B. Outer membrane characteristics of *Salmonella enteritidis* phage type 4 growing in chickens, 449
CHART, H. *see* THRELFALL, E. J.
CHIWAKUL, M. *see* PONGSUWANNA, Y.
CLIFTON-HADLEY, R. S., WILESMITH, J. W. and STUART, F. A. *Mycobacterium bovis* in the European badger (*Meles meles*): epidemiological findings in tuberculous badgers from a naturally infected population, 9
COHEN, S. *see* TYRRELL, D. A. J.
CONWAY, D. *see* CHART H.
COOKSON, B. D. *see* ALONSO, R.
COOKSON, J. B. *see* WISELKA, M. J.
CORCORAN, T. *see* AZZI, A.
COUTINHO, F. A. B. *see* BURATTINI, M. N.
COUTURIER, M. *see* POHL, P.
COWDEN, J. *see* SYNNOTT, M.
CRICHTON, P. B., LOGAN, J. M. J. and OLD, D. C. A miniaturized biotyping system for strain discrimination in *Escherichia coli*, 81
CRICK, E. *see* CHAPMAN, P. A.
CROWTHER, J. R., ROWE, C. A. and BUTCHER, R. Characterization of monoclonal antibodies against a type SAT 2 foot-and-mouth disease virus, 391
CUNY, C., SCHASSAN, H.-H. and WITTE, W. Outbreak of nosocomial infections with two different MRSA-strains involved: significance of genomic DN fragment patterns in strains otherwise difficult to type, 55

DEDDENS, B. *see* JANSEN, G. J.
DI MARTINO, L. *see* GRADONI, L.
DORN, C. R., SILAPANUNTAKUL, R., ANGRICK, E. J. and SHIPMAN, L. D. Plasmid analysis of *Salmonella enteritidis* isolated from human gastroenteritis cases and from epidemiologically associated poultry flocks, 239
DUBIEL, A. J. *see* WHITAKER, C. J.

EDELSTEIN, P. H. and EDELSTEIN, M. A. C. Intracellular growth of *Legionella pneumophila* serogroup 1 monoclonal antibody type 2 positive and negative bacteria, 499

FARRINGTON, C. P. *see* RAMSAY, M. E. B.
FAYOS, A., OWEN, R. J., HERNANDEZ, J., JONES, C. and LASTOVICA, A. Molecular subtyping by genome and plasmid analysis of *Campylobacter jejuni* serogroups O1 and O2 (Penner) from sporadic and outbreak cases of human diarrhoea, 415
FERRARA, M. *see* GRADONI, L.
FOGGIN, C. *see* ANDERSON, E. C.
FORBES, K. J. *see* KERR, G. R. D.
FOX, J. *see* CHAPMAN, P. A.
FURR, P. M. and TAYLOR-ROBINSON, D. *Mycoplasma pulmonis* infection of the murine oropharynx protects against subsequent vaginal colonization, 307

GAETA, G. B. *see* GRADONI, L.
GALPIN, O. P. *see* WHITAKER, C. J.
GERNER-SMIDT, P. *see* NØRRUNG, B.
GLUPCZYNSKI, Y. *see* POHL, P.
GRADONI, L., PIZZUTI, R., DI MARTINO, L., GRAMICCIA, M., PEMPINELLO, R., GAETA, G. B., FERRARA, M., SCOTTI, S. and ALTIERI, S. The epidemiology and surveillance of visceral leishmaniasis in the Campania region of Italy. The value of zymodeme typing, 297
GRAMICCIA, M. *see* GRADONI, L.
GRATTEN, M. *see* SMITH, T.
GRAY, S. *see* THORNTON, L.

HAUGE, K. *see* KAPPERUD, G.
HEMPHILL, M. L., ROTA, P. A., IVANOVA, V. T., SLEPUSHKIN, A. N. and KENDAL, A. P. Antigenic and genetic analysis of influenza type B viruses isolated in Russia, 1987–91, 539

HERNANDEZ, J. *see* FAYOS, A.
HUMPHREY, T. J. and MARTIN, K. Bacteriophage as models for virus removal from Pacific oysters (*Crassostrea gigas*) during re-laying, 325
HUMPHREY, T. J. and WHITEHEAD, A. Egg age and the growth of *Salmonella enteritidis* PT4 in egg contents, 209
HUTCHINGS, P. *see* PATTERSON, T.
HUTCHINSON, D. N. *see* MORGAN, D.
HUTCHINSON, D. N. *see* THORNTON, L.

IVANOVA, V. T. *see* HEMPHILL, M. L.

JAGT, T. G. *see* APPERLOO-RENKEMA, H. Z.
JANSEN, G. J., WILKINSON, M. H. F., DEDDENS, B. and VAN DER WAAIJ, D. Characterization of human faecal flora by means of an improved fluoromorphometrical method, 265
JAYAVASU, C. *see* PONGSUWANNA, Y.
JONES, C. *see* FAYOS, A.

KAJBAF, M. *see* BAILEY, R. L.
KAPPERUD, G., SKJERVE, E., VIK, L., HAUGE, K., LYSAKER, A., AALMEN, I., OSTROFF, S. M. and POTTER, M. Epidemiological investigation of risk factors for campylobacter colonization in Norwegian broiler flocks, 245
KATOULI, M., SEUFFER, R. H., WOLLIN, R., KÜHN, I. and MÖLLBY, R. Variations in biochemical phenotypes and phage types of *Salmonella enteritidis* in Germany 1980–92, 199
KEEN, G. A. *see* MCINTYRE, J. P.
KENDAL, A. P. *see* HEMPHILL, M. L.
KENT, J. *see* WISELKA, M. J.
KERR, G. R. D., FORBES, K. J., WILLIAMS, A. and PENNINGTON, T. H. An analysis of the diversity of *Haemophilus parainfluenzae* in the adult human respiratory tract by genomic DNA fingerprinting, 89
KOIWAI, K. *see* UCHIMURA, M.
KOORNOF, H. J. *see* SHANAHAN, P. M. A.
KÜHN, I. *see* KATOULI, M.

LAMPE, E. *see* NOGUEIRA, R. M. R.
LASETOVICA, A. *see* FAYOS, A.
LAX, A. J. *see* MAHON, J.
LEHMANN, D. *see* POMAT, W. S.
LEHMANN, D. *see* SMITH, T.
LEICESTER, M. *see* SYNNOTT, M.
LINTERMANS, P. *see* POHL, P.
LLOYD, G. *see* PETHER, J. V. S.
LOGAN, J. M. J. *see* CRICHTON, P. B.
LYSAKER, A. *see* KAPPERUD, G.

MAAROUF, A. R. *see* SELLERS, R. F.
MABEY, D. C. W. *see* BAILEY, R. L.
MCINTYRE, J. P. and KEEN, G. A. Laboratory surveillance of viral meningitis by examination of cerebrospinal fluid in Cape Town, 1981–9, 357
MADEKUROZVA, R. L. *see* ANDERSON, E. C.
MAGUIRE, H. *see* SYNNOTT, M.
MAHON, J. and LAX, A. J. A quantitative polymerase chain reaction method for the detection in avian faeces of salmonellas carrying the *spvR* gene, 455
MAJID, F. *see* MORGAN, D.
MAJID, F. *see* SYNNOTT, M.
MALFERTHEINER, P. *see* BODE, G.
MARIN, M. *see* POHL, P.
MARTIN, K. *see* HUMPHREY, T. J.
MASSAD, E. *see* BURATTINI, M. N.
MAUCH, F. *see* BODE, G.

MIAGOSTOVICH, M. P. *see* NOGUEIRA, R. M. R.
MILLER, E. *see* RAMSAY, M. E. B.
MÖLLBY, R. *see* KATOULI, M.
MONTGOMERY, J. *see* POMAT, W. S.
MONTGOMERY, J. *see* SMITH, T.
MORGAN, D., NEWMAN, C. P., HUTCHINSON, D. N., WALKER, A. M., ROWE, B. and MAJID, F. Verotoxin producing *Escherichia coli* O157 infections associated with the consumption of yoghurt, 181
MORSE, D. L. *see* SYNNOTT, M.

NEWMAN, C. P. *see* MORGAN, D.
NEWMAN, R. *see* AZZI, A.
NEWTON, D. *see* THORNTON, L.
NGUYEN-VAN-TAM, J. S. and NICHOLSON, K. G. Influenza immunization; vaccine offer, request and uptake in high-risk patients during the 1991/2 season, 347
NGUYEN-VAN-TAM, J. S. *see* BAKER, D. M.
NICHOSON, K. G. *see* NGUYEN, J. S.
NICHOLSON, K. G. *see* WISELKA, M. J.
NOGUEIRA, R. M. R., MIAGOSTOVICH, M. P., LAMPE, E., SOUZA, R. W., ZAGNE, S. M. O. and SCHATZMAYR, H. G. Dengue epidemic in the state of Rio de Janeiro, Brazil, 1990–1: co-circulation of dengue 1 and dengue 2 serotypes, 163
NORMAN, P. *see* CHAPMAN, P. A.
NØRRUNG, B. and GERNER-SMIDT, P. Comparison of multilocus enzyme electrophoresis (MEE), ribotyping, restriction enzyme analysis (REA) and phage typing for typing of *Listeria monocytogenes*, 71
NQINDI, J. *see* ANDERSON, E. C.

OLD, D. C. *see* CRICHTON, P. B.
O'NEILL, G., ADAMS, J. E., BOWMAN, R. A. and RILEY, T. V. A molecular characterization of *Clostridium difficile* isolates from humans, animals and their environment, 257
OSTROFF, S. M. *see* KAPPERUD, G.
OWEN, R. J. *see* FAYOS, A.
OXFORD, J. S. *see* AZZI, A.

PALMER, S. *see* PATTERSON, T.
PATTERSON, T., HUTCHINGS, P. and PALMER, S. Outbreak of SRSV gastroenteritis at an international conference traced to food handled by a post-symptomatic caterer, 157
PEMPINELLO, R. *see* GRADONI, L.
PENNINGTON, T. H. *see* KERR, G. R. D.
PEREZ-DIAZ, J. C. *see* ALONSO, R.
PETHER, J. V. S. and LLOYD, G. The clinical spectrum of human hantavirus infection in Somerset, UK, 171
PITT, T. L. *see* ALONSO, R.
PIZZUTI, R. *see* GRADONI, L.
PLUMMER, M. *see* SYNNOTT, M.
POHL, P., GLUPCZYNSKI, Y., MARIN, M., VAN ROBAEYS, G., LINTERMANS, P. and COUTURIER, M. Replicon typing characterization of plasmids encoding resistance to gentamicin and apramycin in *Escherichia coli* and *Salmonella typhimurium* isolated from human and animal sources in Belgium, 229
POMAT, W. S., SMITH, T. A., SANDERS, R. C., WITT, C. S., MONTGOMERY, J., LEHMANN, D. and ALPERS, M. P. Levels of anti-pneumococcal antibodies in young children in Papua New Guinea, 109
PONGSUWANNA, Y., TANIGUCHI, K., WAKASUGI, F., SUTIVIJIT, Y., CHIWAKUL, M., WARACHIT, P., JAYAVASU, C. and URASAWA, S. Distinct yearly change of serotype distribution of human rotavirus in Thailand as determined by ELISA and PCR, 407
POTTER, M. *see* KAPPERUD, G.

RAMSAY, M. E. B., FARRINGTON, C. P. and MILLER, E. Age-specific efficacy of pertussis vaccine during epidemic and non-epidemic periods, 41

Restrepo, A. *see* Cadavid, D.
Riley, I. D. *see* Smith, T.
Riley, T. V. *see* O'Neill, G.
Ritter, E. *see* Thurm, V.
Robertson, J. S. *see* Azzi, A.
Rota, P. A. *see* Hemphill, M. L.
Rowe, B. *see* Chart, H.
Rowe, B. *see* Morgan, D.
Rowe, B. *see* Scotland, S. M.
Rowe, B. *see* Thornton, L.
Rowe, B. *see* Threlfall, E. J.
Rowe, C. A. *see* Crowther, J. R.

Said, B. *see* Scotland, S. M.
Salmon, R. L. *see* Thornton, L.
Sanders, R. C. *see* Pomat, W. S.
Schassan, H.-H. *see* Cuny, C.
Schatzmayr, H. G. *see* Nogueira, R. M. R.
Schlarb, J. E. *see* Tyrrell, D. A. J.
Scotti, S. *see* Gradoni, L.
Scotland, S. M., Willshaw, G. A., Smith, H. R., Said, B., Stokes, N. and Rowe, B. Virulence properties of *Escherichia coli* strains belonging to serogroups O26, O55, O111 and O128 isolated in the United Kingdom in 1991 from patients with diarrhoea, 429
Sellers, R. F. and Maarouf, A. R. Weather factors in the prediction of western equine encephalitis epidemics in Manitoba, 373
Seuffer, R. H. *see* Katouli, M.
Shanahan, P. M. A., Wylie, B. A., Adrian, P. V., Koornhof, H. J., Thomson, C. J. and Amyes, S. G. B. The prevalence of antimicrobial resistance in human faecal flora in South Africa, 221
Shipman, L. D. *see* Dorn, C. R.
Siddons, C. A. *see* Chapman, P. A.
Silapanuntakul, R. *see* Dorn, C. R.
Skjerve, E. *see* Kapperud, G.
Slepushkin, A. N. *see* Hemphill, M. L.
Smith, H. R. *see* Scotland, S. M.
Smith, S. J. *see* Baker, D. M.
Smith, T., Lehmann, D., Montgomery, J., Gratten, M., Riley, I. D. and Alpers, M. P. Acquisition and invasiveness of different serotypes of *Streptococcus pneumoniae* in young children, 27
Smith, T. A. *see* Pomat, W. S.
Sorensen, K. J. *see* Anderson, E. C.
Souza, R. W. *see* Nogueira, R. M. R.
Stokes, N. *see* Scotland, S. M.
Stuart, F. A. *see* Clifton-Hadley, R. S.
Sutivijit, Y. *see* Pongsuwanna, Y.
Swanepoel, R. *see* Burt, F. J.
Syed, Q. U. *see* Thornton, L.
Synnott, M., Morse, D. L., Maguire, H., Majid, F., Plummer, M., Leicester, M., Threlfall, E. J. and Cowden, J. An outbreak of *Salmonella mikawasima* associated with doner kebabs, 473

Tanaka, H. *see* Uchimura, M.
Taniguchi, K. *see* Pongsuwanna, Y.
Taylor-Robinson, D. *see* Furr, P. M.
Thomson, C. J. *see* Shanahan, P. M. A.
Tonk, R. H. J. *see* Apperloo-Renkema, H. Z.
Thornton, L., Gray, S., Bingham, P., Salmon, R. L., Hutchinson, D. N., Rowe, B., Newton, D. and Syed, Q. U. The problems of tracing a geographically widespread

outbreak of salmonellosis from a commonly eaten food: *Salmonella typhimurium* DT193 in North West England and North Wales in 1991, 465
THRELFALL, E. J. and CHART, H. Special Article. Interrelationships between strains of *Salmonella enteritidis*, 1
THRELFALL, E. J., ROWE, B. and WARD, L. R. A comparison of multiple drug resistance in salmonellas from humans and food animals in England and Wales, 1981 and 1990, 189
THRELFALL, E. J. *see* SYNNOTT, M.
THURM, V. and RITTER, E. Genetic diversity and clonal relationships of *Acinetobacter baumannii* strains isolated in a neonatal ward: epidemiological investigations by allozyme, whole-cell protein and antibiotic resistance analysis, 491
TSURUOKA, Y. *see* UCHIMURA, M.
TYRRELL, D. A. J., COHEN, S. and SCHLARB, J. E. Signs and symptoms in common colds, 143

UCHIMURA, M., KOIWAI, K., TSURUOKA, Y. and TANAKA, H. High prevalence of thermostable direct hemolysin (TDH)-like toxin in *Vibrio mimicus* isolated from diarrhoeal patients, 49
URASAWA, S. *see* PONGSUWANNA, Y.

VAN ROBAEYS, G. *see* POHL, P.
VAN DER WAAIJ, D. *see* APPERLOO-RENKEMA, H. Z.
VAN DER WAAIJ, D. *see* JANSEN, G. J.
VIK, L. *see* KAPPERUD, G.

WAKASUGI, F. *see* PONGSUWANNA, Y.
WALKER, A. M. *see* MORGAN, D.
WARACHIT, P. *see* PONGSUWANNA, Y.
WARD, M. E. *see* BAILEY, R. L.
WARD, L. R. *see* THRELFALL, E. J.
WILLIAMS, A. *see* KERR, G. R. D.
WHITAKER, C. J., DUBIEL, A. J. and GALPIN, O. P. Social and geographical risk factors in *Helicobacter pylori* infection, 63
WHITEHEAD, A. *see* HUMPHREY, T. J.
WHITTLE, H. C. *see* BAILEY, R. L.
WILESMITH, J. W. *see* CLIFTON-HADLEY, R. S.
WITT, C. S. *see* POMAT, W. S.
WILKINSON, M. H. F. *see* JANSEN, G. J.
WILLSHAW, G. A. *see* SCOTLAND, S. M.
WISELKA, M. J., KENT, J., COOKSON, J. B. and NICHOLSON, K. G. Impact of respiratory virus infection in patients with chronic chest disease, 337
WHITE, W. *see* CUNY, C.
WOLLIN, R. *see* KATOULI, M.
WRIGHT, D. J. *see* CHAPMAN, P. A.
WYLIE, B. A. *see* SHANAHAN, P. M. A.

YATES, P. *see* AZZI, A.

ZAGNE, S. M. O. *see* NOGUEIRA, R. M. R.
ZAKRZEWSKA, K. *see* AZZI, A.

Index of Subjects

Acinetobacter baumannii, genetic diversity and clonal relationships of, strains isolated in a neonatal ward: epidemiological investigations by allozyme, whole-cell protein and antibiotic resistance analysis, 491

Badger, *Mycobacterium bovis* in the European, (*Meles meles*): epidemiological findings in the tuberculous badgers from a naturally infected population, 9
BCG, protective efficacy of, vaccine against leprosy in southern Malawi, 21

Campylobacter, epidemiological investigation of risk factors for, colonization in Norwegian broiler flocks, 245
Campylobacter jejuni, molecular subtyping by genome and plasmid analysis of, serogroups O1 and O2 (Penner) from sporadic and outbreak cases of human diarrhoea, 415
Chlamydial, the influence of local antichlamydial antibody on the acquisition and persistence of human ocular, infection: IgG antibodies are not protective, 315
Clostridium difficile, a molecular characterization of, isolates from humans, animals and their environments, 257
Colds, signs and symptoms in common, 143
Crimean–Congo haemorrhagic fever virus, enzyme-linked immunosorbent assays for the detection of antibody to, in the sera of livestock and wild vertebrates, 547

Dengue epidemic in the state of Rio de Janeiro, Brazil, 1990–1: co-circulation of dengue 1 and dengue 2 serotypes, 163

Escherichia coli, a miniaturized biotyping system for strain discrimination in, 81
Escherichia coli, cattle as a possible source of verocytotoxin-producing, O157 infections in man, 439
Escherichia coli, replicon typing characterization of plasmids encoding resistance to gentamicin and apramycin in, and *Salmonella typhimurium* isolated from human and animal sources in Belgium, 229
Escherichia coli, verotoxin producing, O157 infections associated with the consumption of yoghurt, 181
Escherichia coli, virulence properties of, strains belonging to serogroups O26, O55, O111 and O128 isolated in the United Kingdom in 1991 from patients with diarrhoea, 429

Faecal flora, characterization of human, by means of an improved fluoro-morphometrical method, 265
Faecal flora, the prevalence of antimicrobial resistance in human, in South Africa, 221
Faecal microflora, healthy individuals possess circulating antibodies against their indigenous, as well as against allogenous faecal microflora: an immunomorphometrical study, 273
Foot-and-mouth disease, the role of wild animals, other than buffalo, in the current epidemiology of, in Zimbabwe, 559
Foot-and-mouth disease virus, characterization of monoclonal antibodies against a type SAT 2, 391

Haemophilus parainfluenzae, an analysis of the diversity of, in the adult human respiratory tract by genomic DNA fingerprinting, 89
Hantavirus, the clinical spectrum of human, infection in Somerset, UK, 171
Helicobacter pylori, social and geographical risk factors in, infection, 63
Helicobacter pylori, the coccoid forms of, Criteria for their viability, 483

Influenza A, the haemagglutinins of, (H1N1) viruses in the 'O' or 'D' phases exhibit biological and antigenic differences, 135

Influenza immunization; vaccine offer, request and uptake in high-risk patients during the 1991/2 season, 347
Influenza type B, antigenic and genetic analyses of, viruses isolated in Russia, 1987–91, 539

Legionella pneumophila, intracellular growth of, serogroup 1 monoclonal antibody type 2 positive and negative bacteria, 499
Legionnaires' disease, a model for autumn outbreaks of, associated with cooling towers, linked to system operation and size, 287
Leishmaniasis, the epidemiology and surveillance of visceral, in the Campania region of Italy. The value of zymodeme typing, 297
Leprosy, protective efficacy of BCG vaccine against, in southern Malawi, 21
Listeria monocytogenes, comparison of multilocus enzyme electrophoresis (MEE), ribotyping, restriction enzyme analysis (REA) and phage typing for typing of, 71

Malaria prevalence amongst Brazilian Indians assessed by a new mathematical model, 525
Malaria transmission rates estimated from serological data, 503
MRSA-strains, outbreak of nosocomial infections with two different, involved: significance of genomic DNA fragment patterns in strains otherwise difficult to type, 55
Mycobacterium bovis in the European badger (*Meles meles*): epidemiological findings in tuberculous badgers from a naturally infected population, 9
Mycoplasma pulmonis infection of the murine oropharynx protects against subsequent vaginal colonization, 307

Pacific oysters, bacteriophage as models for virus removal from, (*Crassostrea gigas*) during relaying, 325
Paracoccidiodes brasiliensis, factors associated with, infection among permanent residents of three endemic areas in Colombia, 121
Pertussis, age-specific efficacy of, vaccine during epidemic and non-epidemic periods, 41
Pneumonoccal, levels of anti-, antibodies in young children in Papua New Guinea, 109

Respiratory virus infection, impact of, in patients with chronic disease, 337
Rotavirus, distinct yearly change of serotype distribution of human, in Thailand as determined by ELISA and PCR, 407

Salmonella enteritidis, interrelationships between strains of, 1
Salmonella enteritidis, egg age and the growth of, PT4 in egg contents, 209
Salmonella enteritidis, outer membrane characteristics of, phage type 4 growing in chickens, 449
Salmonella enteritidis, plasmid analysis of, isolated from human gastroenteritis cases and from epidemiologically associated poultry flocks, 239
Salmonella enteritidis, variations in biochemical phenotypes and phage types of, in Germany 1980–92, 199
Salmonella mikawasima, an outbreak of, associated with doner kebabs, 473
Salmonella typhimurium, replicon typing characterization of plasmids encoding resistance to gentamicin and apramycin in *Escherichia coli* and, isolated from human and animal sources in Belgium, 229
Salmonella typhimurium, the problems of tracing a geographically widespread outbreak of salmonellosis from a commonly eaten food: DT193 in North West England and North Wales in 1991, 465
Salmonellas, a comparison of multiple drug resistance in, from humans and food animals in England and Wales, 1981 and 1990, 189
Salmonellas, a quantitative polymerase chain reaction method for the detection in avian faeces of, carrying the *spvR* gene, 455
Serratia marcescens, comparison of serotype, biotype and bacteriocin type with rDNA RFLP patterns for the type identification of, 99
SRSV, outbreak of, gastroenteritis at an international conference traced to food handled by a post-symptomatic caterer, 157
Streptoccous pneumoniae, acquisition and invasiveness of different serotypes of, in young children, 27

Vibrio mimicus, high prevalence of thermostable direct hemolysin (TDH)-like toxin in, strains isolated from diarrhoeal patients, 49
Viral meningitis, laboratory surveillance of, by examination of cerebrospinal fluid in Cape Town, 1981–9, 357

Western equine encephalitis, weather factors in the prediction of, epidemics in Manitoba, 373

Yoghurt, verotoxin producing *Escherichia coli* O157 infections associated with the consumption of, 181